PROCESSEUBY APR 1998SEUBY

Application Number | Fied | 11-17-8 | Group Art Unit | Examiner |

Assistant Commissioner for Patents Washington, DC 20221

I hereby request access unden 37 CFR 1.14(a)(3)(iv) to the application file record of the above Identified ABANDONED application, which is: (CHECK ONE: (A) referred to in United States Patent Number 5, 340,594 (B) referred to in an application that is open to public inspection as set form in 37 CFR. Application No. ______ files ____ paper number (C), an application that casims the benefit of the filling case of an application that is open inspection, i.e., Application No. (D) an application in which the applicant has filed an authorization to lay open the com בבאוכבססת נס להם בעבוב. Please direct any correspondence concerning this request to the following address: FCR PTO USE ONL Typed or printed name.

Burden Hour Statement. This comes estimates of take of the size manness. The second as a second as a second as



Barclay

US005340594A

Patent Number: [11]

5,340,594

Date of Patent: * Aug. 23, 1994 [45]

[54] FOOD PRODUCT HAVING HIGH CONCENTRATIONS OF OMEGA-3 HIGHLY UNSATURATED FATTY ACIDS

[75] Inventor: William R. Barclay, Boulder, Colo.

[73] Assignee: OmegaTech Inc., Boulder, Colo.

[*] Notice: The portion of the term of this patent subsequent to Jul. 14, 2009 has been

disclaimed.

[21] Appl. No.: 911,760

[22] Filed: Jul. 10, 1992

Related U.S. Application Data

Division of Ser. No. 580,778, Sep. 11, 1990, Pat. No. 130,242, which is a continuation-in-part of Ser. No. 439,093, Nov. 17, 1989, abandoned, which is a continuation-in-part of Ser. No. 241,410, Sep. 7, 1988, abandoned.

Int. Cl.5 A23D 9/00 [52] U.S. Cl. 426/49; 426/53; 426/601; 435/134; 435/243; 435/946

Field of Search 426/49, 53, 601.2; 435/134, 243, 946

[56] References Cited

U.S. PATENT DOCUMENTS

3,296,079 1/1967 Griffin . 3,647,482 3/1972 Yueh 3.667.969 6/1972 Kracauer 3,908,026 9/1975 Neely et al. . 3,908,028 9/1975 Neely et al. . 3,924,017 12/1975 Lee et al. . 4,304,794 12/1981 Dwivedi et al. . 4,758,438 7/1988 Stroz et al. .

FOREIGN PATENT DOCUMENTS

58-196068 5/1965 Japan . 58-213613 6/1985 Japan . WO88/10112 12/1988 PCT Int'l Appl. . WO89/00606 1/1989 PCT Int'l Appl. .

OTHER PUBLICATIONS

Behrens et al., "Eicosapentaenoic Acid from Microal-

gae", p. 623, col. 2, abstract no. 193025d, 1989, Chemical Abstracts, vol. 111, No. 21, Nov. 20. Jong et al., "American Type Culture Collection Catalogue of Fungi/Yeast", pp. 350 and 378, American Type Culture Collection, 17th Edition, 1987. Sparrow, Aquatic Phycomycetes, pp. 36-39, 1960, University of Michigan Press. Wassef, "Fungal Lipids", pp. 159-232, 1977, Adv. Lipid Res., vol. 15. Weete, "Fatty Acids", pp. 49-95, 1980, in Lipid Biochemistry of Fungi and Other Organisms, (Plenum Press). Yamada et al., "Production of Arachidonic Acid and Eicosapentaenoic Acid by Microorganisms", p. 1254, 1987, J. Am. Oil Chem. Soc., vol. 64. Ainsworth, "Introduction and Keys to Higher Taxa", pp. 1-7, 1973, in The Fungi. An Advanced Treatise, vol. 4B, (G. C. Ainsworth et al. eds., Academic Press). Bhanweg et al., "A New Approach to Taxonomy of the Thraustochytriales and Labyrinthulales", pp. 131-140, 1986, in The Biology of Marine Fungi, (S. T. Moss ed., Cambridge University Press).

(List continued on next page.)

Primary Examiner—Donald E. Czaja Assistant Examiner—Anthony Weiev Attorney, Agent, or Firm-Sheridan Ross & McIntosh

ABSTRACT

A process for the heterotrophic or predominantly heterotrophic production of whole-celled or extracted microbial products with a high concentration of omega-3 highly unsaturated fatty acids, producible in an aerobic culture under controlled conditions using biologically pure cultures of heterotrophic single-celled fungi microorganisms of the order Thraustochytriales. The harvested whole-cell microbial product can be added to processed foods as a nutritional supplement, or to fish and animal feeds to enhance the omega-3 highly unsaturated fatty acid content of products produced from these animals. The lipids containing these fatty acids can also be extracted and used in nutritional, pharmaceutical and industrial applications.

10 Claims, 9 Drawing Sheets

2nd page of Refs